

WALL MOUNTED CHM Convecto-Rad

PERFECT **COMBINATION** OF PARTIAL STORAGE AND DIRECT HEATING



With special-heat-storage stone



A unique combination of Radiant and convected heat

Wall Mounted 'ConvectoRad' heaters with the dual advantages of Radiant and convected heat, complete with energy efficient partial heat storage. Series CHM is distinguished by the following properties:

- **Quick warmth generation**
- **Reduced weight**
- **Long-maintained warmth due to the special storage stone**
- **Higher heat release due to special shape of the surface**



With the DSM thermostat, your CHM heater is easily controllable over the Internet. Safe, clean and easy to use. No maintenance required, with 100% performance. The improved material composition and refinement of the surface results in a more uniform heat dissipation.



All RAL colors are available upon request.
Extra charge: 143,64 €



Direct heating

Series CHM



Wall convector CHM DSM

Exclusive electric heating combines the features and design of a wall convector and a panel storage heater, with **built-in programmable DSM thermostat**: weekly & daily programs, backlighting, automatic operation, frost protection, time-limited temperature setting, various temperature programs. With electronic room temperature control and weekday control. Open window detection. Adaptive start control. Internet option (see page 111), connecting cable 1.5 m with plug.

Wall convector CHM RF

As DSM, but **with built-in radio receiver** for control with an external thermostat e.g. TPF-ECO (exclusive) and our TYDOM APP. Necessary for control over the Internet, range within the building approx. 30 m (depending on the type of construction), for ECO interface (see page 12-13). IP 20. The TPF ECO thermostat must be ordered separately for all RF models (see page 111).

Model white	Power [kW]	Dimensions B x H x T [mm]	Weight [kg approx.]	Order number	Price [Euro]
CHM 500 DSM	0,50	380 x 630 x 70	10,00	440 605 330	671,72
CHM 1000 DSM	1,00	680 x 630 x 70	16,50	440 610 330	786,29
CHM 1500 DSM	1,50	980 x 630 x 70	23,50	440 615 330	923,77
CHM 2000 DSM	2,00	980 x 630 x 70	23,50	440 620 330	986,48
CHM 1000 H DSM	1,00	380 x 1240 x 70	16,50	440 110 330	986,48

Discount group TT_200

All units can also be ordered in IPX4 for a 45,82 Euro surcharge.

Model anthracite	Power [kW]	Dimensions B x H x T [mm]	Weight [kg approx.]	Order number	Price [Euro]
CHM-Z 500 DSM	0,50	380 x 630 x 70	10,00	440 605 730	791,11
CHM-Z 1000 DSM	1,00	680 x 630 x 70	16,50	440 610 730	905,68
CHM-Z 1500 DSM	1,50	980 x 630 x 70	23,50	440 615 730	1.043,16
CHM-Z 2000 DSM	2,00	980 x 630 x 70	23,50	440 620 730	1.104,67
CHM-Z 1000 H DSM	1,00	380 x 1240 x 70	16,50	440 110 730	1.104,67

Discount group TT_200

All units can also be ordered in IPX4 for a 45,82 Euro surcharge.

Model weiß	Power [kW]	Dimensions B x H x T [mm]	Weight [kg approx.]	Order number	Price [Euro]
CHM 500 RF	0,50	380 x 630 x 70	10,00	440 605 950	629,51
CHM 1000 RF	1,00	680 x 630 x 70	16,50	440 610 950	747,70
CHM 1500 RF	1,50	980 x 630 x 70	23,50	440 615 950	890,00
CHM 2000 RF	2,00	980 x 630 x 70	23,50	440 620 950	955,13
CHM 1000 H RF	1,00	380 x 1240 x 70	16,50	440 110 950	955,13

Discount group TT_200

All units can also be ordered in IPX4 for a 45,82 Euro surcharge.



Wall convector CHM plus

The "plus" thermostat for easy programming. The thermostat detects open windows and occupies an additive start control with various daily and weekly programs. Large display for good device operation, connection cable 1.5 m with plug.



Model anthracite	Power [KW]	Dimensions B x H X T [mm]	Weight [kg approx.]	Order number	Price [Euro]
CHM-Z 500 RF	0,50	380 x 630 x 70	10,00	440 605 750	748,91
CHM-Z 1000 RF	1,00	680 x 630 x 70	16,50	440 610 750	867,09
CHM-Z 1500 RF	1,50	980 x 630 x 70	23,50	440 615 750	1.009,39
CHM-Z 2000 RF	2,00	980 x 630 x 70	23,50	440 620 750	1.074,52
CHM-Z 1000 H RF	1,00	380 x 1240 x 70	16,50	440 110 750	1.074,52

Discount group TT_200

All units can also be ordered in IPX4 for a 45,82 Euro surcharge.

Model white	Power [KW]	Dimensions B x H X T [mm]	Weight [kg approx.]	Order number	Price [Euro]
CHM 500 plus	0,50	380 x 630 x 70	10,00	440 605 940	604,19
CHM 1000 plus	1,00	680 x 630 x 70	16,50	440 610 940	723,58
CHM 1500 plus	1,50	980 x 630 x 70	23,50	440 615 940	865,88
CHM 2000 plus	2,00	980 x 630 x 70	23,50	440 620 940	929,80
CHM 1000 H plus	1,00	380 x 1240 x 70	16,50	440 110 940	929,80

Discount group TT_200

All units can also be ordered in IPX4 for a 45,82 Euro surcharge.

Model anthracite	Power [KW]	Dimensions B x H X T [mm]	Weight [kg approx.]	Order number	Price [Euro]
CHM-Z 500 plus	0,50	380 x 630 x 70	10,00	440 605 740	723,58
CHM-Z 1000 plus	1,00	680 x 630 x 70	16,50	440 610 740	842,97
CHM-Z 1500 plus	1,50	980 x 630 x 70	23,50	440 615 740	985,28
CHM-Z 2000 plus	2,00	980 x 630 x 70	23,50	440 620 740	1.049,19
CHM-Z 1000 H plus	1,00	380 x 1240 x 70	16,50	440 110 740	1.049,19

Discount group TT_200

All units can also be ordered in IPX4 for a 45,82 Euro surcharge.