

# Wall mounted Panel Heater VPS


WITH BUILT-IN SPECIAL HEAT RETENTION CERAMIC TABLETS



▲ The product range of TECHNOTHERM panel heating offers perfect solutions for all technical demands on heating. Whether in large-dimensional houses or small apartments - TECHNOTHERM offers heaters of an aesthetic design for stylish facings paired with the newest heating technologies. So you can heat efficiently and reduce your energy costs. **Heaters made in Germany!** Heating with TECHNOTHERM - even more comfortable. All VPS heaters are equipped with special storage stone.

Moreover, this series is provided with electronic thermostats, which allow extra comfortable and fully controllable heating.

**All VPS heaters are equipped with a special heat storage stone. The series also features a digital, electronic thermostat that allows comfortable and fully controlled heating.**




Eingetragenes  
Gebrauchsmuster



All RAL colors are available upon request.  
Extra charge: 143,64€

**RAL 9003 housing color**



- twin overheat safety protection
- digital thermostat
- special ceramic storage
- 100% of ceramic natural materials

# Direct heating

## Series VPS white



### Wall convector VPS plus

Strong steel housing, with special ceramic heat retention tablets, Aluminium heating element, Twin Overheat protection, Thermostat with weekday function, Detection of open window, adaptive start control (Settings: Comfort, Economy, Frost Protection), Colour white, protection class I, connecting lead with plug. **IP 20**

### VPS DSM, VPS H DSM

Wall convector with DSM thermostat - can be controlled with the DSM interface via the Internet using the free TECHNOTHERM APP. Separate temperatures and various time programs can be set for each room (see page 8-9).

### VPS RF

With built-in radio receiver for control with an external radio thermostat e.g. TPF-ECO (exclusive) and our TYDOM APP. Necessary for control via the Internet

Model white	Power [KW]	Dimensions B x H X T [mm]	Weight [kg approx.]	Order number	Price [Euro]
VPS 750 plus	0,75	750 x 450 x 68	11,90	429 754 211	435,35
VPS 1000 plus	1,00	750 x 450 x 68	11,90	429 754 212	447,41
VPS 1200 plus	1,20	750 x 450 x 68	11,90	429 754 213	459,47
VPS 1500 plus	1,50	1050 x 450 x 68	14,30	429 754 214	499,27
VPS 2000 plus	2,00	1050 x 450 x 68	14,30	429 754 216	527,00
VPS 1200 H plus	1,20	450 x 1050 x 68	14,30	429 755 243	516,15

Discount group TT\_200

All units can also be ordered in IPX4 for a 45,82 Euro surcharge.

Model white	Power [KW]	Dimensions B x H X T [mm]	Weight [kg approx.]	Order number	Price [Euro]
VPS 750 DSM	0,75	750 x 450 x 68	11,90	429 754 271	523,40
VPS 1000 DSM	1,00	750 x 450 x 68	11,90	429 754 272	535,46
VPS 1200 DSM	1,20	750 x 450 x 68	11,90	429 754 273	546,30
VPS 1500 DSM	1,50	1050 x 450 x 68	14,30	429 754 274	586,10
VPS 2000 DSM	2,00	1050 x 450 x 68	14,30	429 754 276	613,84
VPS 1200 H DSM	1,20	450 x 1050 x 68	14,30	429 755 233	604,19

Discount group TT\_200

All units can also be ordered in IPX4 for a 45,82 Euro surcharge.

Model white	Power [KW]	Dimensions B x H X T [mm]	Weight [kg approx.]	Order number	Price [Euro]
VPS 750 RF	0,75	750 x 450 x 68	11,90	429 754 221	475,15
VPS 1000 RF	1,00	750 x 450 x 68	11,90	429 754 222	487,22
VPS 1200 RF	1,20	750 x 450 x 68	11,90	429 754 223	502,89
VPS 1500 RF	1,50	1050 x 450 x 68	14,30	429 754 224	543,90
VPS 2000 RF	2,00	1050 x 450 x 68	14,30	429 754 226	570,43
VPS 1200 H RF	1,20	450 x 1050 x 68	14,30	429 755 223	560,78

Discount group TT\_200

All units can also be ordered in IPX4 for a 45,82 Euro surcharge.

# Direct heating

## Series VPS anthracite



### Wall convector VPS plus

Strong steel housing, with special ceramic heat retention tablets, Aluminium heating element, Twin Overheat protection, Thermostat with weekday function, Detection of open window, adaptive start control (Settings: Comfort, Economy, Frost Protection), Colour white, protection class I, connecting lead with plug. **IP 20**

### VPS DSM, VPS H DSM

Wall convector with DSM thermostat - can be controlled with the DSM interface via the Internet using the free TECHNOTHERM APP. Separate temperatures and various time programs can be set for each room (see page 8-9).

### VPS RF

With built-in radio receiver for control with an external radio thermostat e.g. TPF-ECO (exclusive) and our TYDOM APP. Necessary for control via the Internet

Model Anthrazit	Power [KW]	Dimensions B x H X T [mm]	Weight [kg approx.]	Order number	Price [Euro]
VPS-Z 750 plus	0,75	750 x 450 x 68	11,90	429 754 331	554,74
VPS-Z 1000 plus	1,00	750 x 450 x 68	11,90	429 754 332	566,80
VPS-Z 1200 plus	1,20	750 x 450 x 68	11,90	429 754 333	578,86
VPS-Z 1500 plus	1,50	1050 x 450 x 68	14,30	429 754 334	618,65
VPS-Z 2000 plus	2,00	1050 x 450 x 68	14,30	429 754 335	646,40
VPS-Z 1200 H plus	1,20	450 x 1050 x 68	14,30	429 755 333	635,54

Discount group TT\_200

All units can also be ordered in IPX4 for a 45,82 Euro surcharge.

Model Anthrazit	Power [KW]	Dimensions B x H X T [mm]	Weight [kg approx.]	Order number	Price [Euro]
VPS-Z 750 DSM	0,75	750 x 450 x 68	11,90	429 754 341	642,78
VPS-Z 1000 DSM	1,00	750 x 450 x 68	11,90	429 754 342	654,84
VPS-Z 1200 DSM	1,20	750 x 450 x 68	11,90	429 754 343	665,70
VPS-Z 1500 DSM	1,50	1050 x 450 x 68	14,30	429 754 344	705,49
VPS-Z 2000 DSM	2,00	1050 x 450 x 68	14,30	429 754 345	733,23
VPS-Z 1200 H DSM	1,20	450 x 1050 x 68	14,30	429 755 346	723,58

Discount group TT\_200

All units can also be ordered in IPX4 for a 45,82 Euro surcharge.

Model Anthrazit	Power [KW]	Dimensions B x H X T [mm]	Weight [kg approx.]	Order number	Price [Euro]
VPS-Z 750 RF	0,75	750 x 450 x 68	11,90	429 754 351	594,54
VPS-Z 1000 RF	1,00	750 x 450 x 68	11,90	429 754 352	606,60
VPS-Z 1200 RF	1,20	750 x 450 x 68	11,90	429 754 353	622,27
VPS-Z 1500 RF	1,50	1050 x 450 x 68	14,30	429 754 354	663,28
VPS-Z 2000 RF	2,00	1050 x 450 x 68	14,30	429 754 355	689,81
VPS-Z 1200 H RF	1,20	450 x 1050 x 68	14,30	429 755 356	680,17

Discount group TT\_200

All units can also be ordered in IPX4 for a 45,82 Euro surcharge.



Direct Heating

# Wall Mounted VPS Design Panel Heater

WITH HIGH-QUALITY GLASS FRONT



In the **VPS design** series, the name says it all. The Wall mounted panel heater has a beautifully crafted heat resistant glass front. This series is one of many new developments having our **"Made in Germany"** seal.

- Special ceramics thermal-storage heater for long-lasting warmth
- Effective heating unit made of aluminium
- Twin overheat safety protection
- Radio receiver RF to easily regulate the device
- Also available as a vertical version
- Glass front suitable for writing on (for bars, restaurants, etc.)
- High quality glass front in 2 different colors

 High-Quality Glass Front



An effective wall-mounted convector with a high-quality glass front combines our premium product of the VPS-Design series. Experience the appealing aesthetics combined with extraordinary heating performance.



# Direct heating

## Series VPS-Design



### Wall convector VPS-Design black, white

**Wall convector with glass front** in black or white with special ceramic thermal-storage heater, surface is writeable for bistros, res-taurants, cafés etc., tempered safety glass with "crumble effect". As standard, with built-in radio receiver for control with an external thermostat. TPF-ECO (exclusive) and our TYDOM APP. Necessary for control over the Internet, range within the building approx. 30 m (depending on the type), radio frequency 868 MHz (standard EN 300 200), ECO interface (see page 12-13).

**IP 20**

The TPF-ECO thermostat must be ordered separately for all RF models (see page 111).



Model black	Power [KW]	Dimensions B x H X T [mm]	Weight [kg approx.]	Order number	Price [Euro]
VPS-Design B 1000 RF	1,00	755 x 454 x 68	15,00	429 754 402	744,08
VPS-Design B 1200 RF	1,20	755 x 454 x 68	15,00	429 754 403	769,41
VPS-Design B 1500 RF	1,50	1055 x 454 x 68	20,00	429 754 404	871,91
VPS-Design B 2000 RF	2,00	1055 x 454 x 68	20,00	429 754 406	898,45
VPS-Design B 1200 H RF	1,20	454 x 1055 x 68	20,00	429 755 403	845,38

Discount group TT\_200

All units can also be ordered in IPX4 for a 45,82 Euro surcharge.

Model white	Power [KW]	Dimensions B x H X T [mm]	Weight [kg approx.]	Order number	Price [Euro]
VPS-Design W 1000 RF	1,00	755 x 454 x 68	15,00	429 754 302	744,08
VPS-Design W 1200 RF	1,20	755 x 454 x 68	15,00	429 754 303	769,41
VPS-Design W 1500 RF	1,50	1055 x 454 x 68	20,00	429 754 304	871,91
VPS-Design W 2000 RF	2,00	1055 x 454 x 68	20,00	429 754 306	898,45
VPS-Design W 1200 H RF	1,20	454 x 1055 x 68	20,00	429 755 303	845,38

Discount group TT\_200

All units can also be ordered in IPX4 for a 45,82 Euro surcharge.


# Wall convector SPH

ULTRA-FLAT AND EXCEPTIONAL DESIGN!



The built-in thermostats have an "open window" function and various temperature programs, which greatly simplify the operation of the heaters.

The SPH series impress with their unique flat design of only 9cm.



With special storage stone for long-lasting warmth.



All RAL colors are available upon request.  
Extra charge: 143,64 €



## SPH plus

Horizontal arrangement of the design strips, thermostat mounted on the side with special heat storage stones for an optimum between short heating times and long heat emission. The "Plus"- Thermostat allows you to operate the device easily. Thermostat with weekday function, detection of open windows and adaptive start control (setting options: comfort, lowering, frost protection), connection cable 1.5 m with plug.



Model white	Power [KW]	Dimensions B x H X T [mm]	Weight [kg approx.]	Order number	Price [Euro]
SPH 750 plus	0,75	750 x 500 x 90	11,80	429 754 710	435,35
SPH 1000 plus	1,00	750 x 500 x 90	11,80	429 754 711	447,41
SPH 1200 plus	1,20	750 x 500 x 90	11,80	429 754 712	459,47
SPH 1500 plus	1,50	1050 x 500 x 90	17,00	429 754 713	499,27
SPH 2000 plus	2,00	1050 x 500 x 90	17,00	429 754 714	527,01
SPH 1200 H plus	1,20	500 x 1050 x 90	17,00	429 754 715	517,36

Discount group TT\_200

All units can also be ordered in IPX4 for a 45,82 Euro surcharge.

Model anthracite	Power [KW]	Dimensions B x H X T [mm]	Weight [kg approx.]	Order number	Price [Euro]
SPH-Z 750 plus	0,75	750 x 500 x 90	11,80	429 754 760	554,74
SPH-Z 1000 plus	1,00	750 x 500 x 90	11,80	429 754 761	566,80
SPH-Z 1200 plus	1,20	750 x 500 x 90	11,80	429 754 762	578,86
SPH-Z 1500 plus	1,50	1050 x 500 x 90	17,00	429 754 763	618,65
SPH-Z 2000 plus	2,00	1050 x 500 x 90	17,00	429 754 764	646,40
SPH-Z 1200 H plus	1,20	500 x 1050 x 90	17,00	429 754 765	636,75

Discount group TT\_200

All units can also be ordered in IPX4 for a 45,82 Euro surcharge.



# Direct heating

## SPH DSM and RF



### SPH DSM

Ultra-flat thermal convector. Horizontal arrangement of the design strips, with special heat storage stones for an optimum between short heating-up times and long heat output with built-in, programmable DSM thermostat: The DSM thermostat can be controlled via DSM interface (to be ordered separately, see page 111) over the Internet with the free TECHNOTHERM APP. Separate temperatures and various time programs can be set for each room (see p. 8-9). Current consumptions and a "history" are easy to read. The thermostat detects an open window and reacts accordingly ("open window" function). The "out of home" function reduces all programmed devices by a certain temperature. The automatic function detects presence and absence and adapts to your heating requirements. The DSM thermostat makes your heater including ErP-conform, connection cable 1.5 m with plug.



Model white	Power [KW]	Dimensions B x H x T [mm]	Weight [kg approx.]	Order number	Price [Euro]
SPH 750 DSM	0,75	750 x 500 x 90	11,80	429 754 720	523,39
SPH 1000 DSM	1,00	750 x 500 x 90	11,80	429 754 721	535,45
SPH 1200 DSM	1,20	750 x 500 x 90	11,80	429 754 722	546,30
SPH 1500 DSM	1,50	1050 x 500 x 90	17,00	429 754 723	586,10
SPH 2000 DSM	2,00	1050 x 500 x 90	17,00	429 754 724	613,84
SPH 1200 H DSM	1,20	500 x 1050 x 90	17,00	429 754 725	604,19

Discount group TT\_200

All units can also be ordered in IPX4 for a 45,82 Euro surcharge.

Model anthracite	Power [KW]	Dimensions B x H x T [mm]	Weight [kg approx.]	Order number	Price [Euro]
SPH-Z 750 DSM	0,75	750 x 500 x 90	11,80	429 754 770	642,78
SPH-Z 1000 DSM	1,00	750 x 500 x 90	11,80	429 754 771	654,84
SPH-Z 1200 DSM	1,20	750 x 500 x 90	11,80	429 754 772	665,69
SPH-Z 1500 DSM	1,50	1050 x 500 x 90	17,00	429 754 773	705,49
SPH-Z 2000 DSM	2,00	1050 x 500 x 90	17,00	429 754 774	733,23
SPH-Z 1200 H DSM	1,20	500 x 1050 x 90	17,00	429 754 775	723,58

Discount group TT\_200

All units can also be ordered in IPX4 for a 45,82 Euro surcharge.



## SPH RF

Ultra-flat thermal convector. Horizontal arrangement of the design strips, with special heat storage stones for an optimum between short heating times and long heat emission. With built-in radio receiver for control with an external radio thermostat e.g. TPF-ECO (exclusive) and our TYDOM APP. Required for control via the Internet, range in the building approx. 30 m (depending on type), radio frequency 868 MHz (standard EN 300 200), for ECO interface (see pages 12-13), connecting cable 1.5 m with plug.

**IP 20**

**The TPF-ECO & ECO radio thermostat interface must be ordered separately for all RF models. This device may only be used in conjunction with an weekday control (see page 111).**



Model white	Power [KW]	Dimensions B x H X T [mm]	Weight [kg approx.]	Order number	Price [Euro]
SPH 750 RF	0,75	750 x 500 x 90	11,80	429 754 730	475,15
SPH 1000 RF	1,00	750 x 500 x 90	11,80	429 754 731	487,21
SPH 1200 RF	1,20	750 x 500 x 90	11,80	429 754 732	502,89
SPH 1500 RF	1,50	1050 x 500 x 90	17,00	429 754 733	543,89
SPH 2000 RF	2,00	1050 x 500 x 90	17,00	429 754 734	570,42
SPH 1200 H RF	1,20	500 x 1050 x 90	17,00	429 754 735	560,77

Discount group TT\_200

All units can also be ordered in IPX4 for a 45,82 Euro surcharge.

Model anthracite	Power [KW]	Dimensions B x H X T [mm]	Weight [kg approx.]	Order number	Price [Euro]
SPH-Z 750 RF	0,75	750 x 500 x 90	11,80	429 754 780	594,54
SPH-Z 1000 RF	1,00	750 x 500 x 90	11,80	429 754 781	606,60
SPH-Z 1200 RF	1,20	750 x 500 x 90	11,80	429 754 782	622,28
SPH-Z 1500 RF	1,50	1050 x 500 x 90	17,00	429 754 783	663,28
SPH-Z 2000 RF	2,00	1050 x 500 x 90	17,00	429 754 784	689,81
SPH-Z 1200 H RF	1,20	500 x 1050 x 90	17,00	429 754 785	680,17

Discount group TT\_200

All units can also be ordered in IPX4 for a 45,82 Euro surcharge.